

NANO EXPRESS

Open Access

Facile and high-efficient immobilization of histidine-tagged multimeric protein G on magnetic nanoparticles

Jiho Lee and Jeong Ho Chang*

Abstract

This work reports the high-efficient and one-step immobilization of multimeric protein G on magnetic nanoparticles. The histidine-tagged (His-tag) recombinant multimeric protein G was overexpressed in *Escherichia coli* BL21 by the repeated linking of protein G monomers with a flexible linker. High-efficient immobilization on magnetic nanoparticles was demonstrated by two different preparation methods through the amino-silane and chloro-silane functionalization on silica-coated magnetic nanoparticles. Three kinds of multimeric protein G such as His-tag monomer, dimer, and trimer were tested for immobilization efficiency. For these tests, bicinchoninic acid (BCA) assay was employed to determine the amount of immobilized His-tag multimeric protein G. The result showed that the immobilization efficiency of the His-tag multimeric protein G of the monomer, dimer, and trimer was increased with the use of chloro-silane-functionalized magnetic nanoparticles in the range of 98% to 99%, rather than the use of amino-silane-functionalized magnetic nanoparticles in the range of 55% to 77%, respectively.

Keywords: Magnetic nanoparticle; Immobilization; Protein G; Histidine-tag; Efficiency


Background

Magnetic nanoparticles (MNPs) have been widely used in various biomaterial applications, such as the immobilization of enzymes and proteins, drug delivery systems, labeling and sorting of cells, and the purification of DNA and proteins [1-8]. One of the most recent applications being investigated extensively is the use of functionalized MNPs as magnetic carriers for specific protein purification [9-14]. Among them, immobilization methods for purification specific protein have used metal ion affinity-tagged protein, such as histidine (His)-tagged proteins. The functionalized magnetic nanoparticles and tagged protein offer several advantages for protein purification, such as easy handling and simple procedures. The protein purification can be carried out in a single tube without expensive instruments, centrifuges, or other such systems.

In the past few decades, Xu et al. modified Fe_2O_3 magnetic nanoparticles with dopamine compounds and nickel nitrilotriacetic acid (Ni-NTA) to separate His-tagged proteins [15]. Yeh et al. demonstrated that the methods can

bind Ni-NTA onto $\text{Fe}_3\text{O}_4\text{-NH}_3^+$ nanoparticles for protein purification and cell targeting [16]. Moreover, Li et al. have successfully prepared Fe_3O_4 magnetic nanoparticles with immobilized NTA, which were capable of producing Ni (II) ions [17]. However, the methods described above require a difficult and complicated procedure to prepare Ni-NTA-modified magnetic nanoparticles to purify His-tagged proteins. In addition, Lee et al. prepared the functionalized silica-coated magnetic nanoparticles to bind multimeric protein G [18]. The detailed synthesis procedure for functionalized silica-coated magnetic nanoparticles is shown in Figure 1(A). The surface of MNPs was coated with silica to prepare MNPs@SiO_2 . In the first step, amino-functionalized MNPs@SiO_2 ($\text{NH}_2\text{-SiO}_2\text{-MNP}$) was prepared by incorporating 3-aminopropyltrimethoxysilane (APTMS) on the surface of $\text{SiO}_2\text{-MNP}$. Subsequently, the surface of $\text{NH}_2\text{-SiO}_2\text{-MNP}$ was modified with the sulfhydryl group and sulfosuccinimidyl 4-(*N*-maleimidomethyl) cyclohexane-1-carboxylate (Sulfo-SMCC) for coupling with multimeric protein G. The binding efficiency of the monomer, dimer, and trimer protein G were 77%, 65%, and 55%, respectively. However, the procedure used a lot of reagents and was cumbersome, thus increasing the cost.

* Correspondence: jhchang@kicet.re.kr
Korea Institute of Ceramic Engineering and Technology, Seoul 153-801, South Korea



Therefore, we need a novel, simple, and low-cost synthesis method to prepare functionalized MNPs@SiO_2 .

In this work, we report the one-step preparation of multimeric protein G with a His-tagged (His-tag) monomer, dimer, and trimer on magnetic nanoparticles for high-efficient immobilization. This immobilization was demonstrated by two different pathways of amino-silane and chloro-silane functionalization on silica-coated magnetic nanoparticles. To calculate the efficiency, bicinchoninic acid (BCA) assay was used and confirmed by sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE).

Methods

Synthesis of the CTMS-MNPs@SiO_2

Iron (II) chloride tetrahydrate (99%), iron (III) chloride hexahydrate (98%), tetraethyl orthosilicate (98%), and phosphate-buffered saline (PBS) were purchased from Sigma-Aldrich chemical (St. Louis, MO, USA). (Chloromethyl) phenylethyltrimethoxysilane (CTMS) was purchased from Gelest (Morrisville, PA, USA). Pierce BCA™ protein assay kit was purchased from Thermo Scientific Inc. (Pittsburgh, PA, USA). HPLC-grade solvents were used in both the reaction and washing steps. All aqueous solution was prepared with double-distilled water.

MNPs were prepared by coprecipitation with Fe^{2+} and Fe^{3+} . To prepare the MNPs, a mixture of 2 M $\text{FeCl}_2 \cdot 4\text{H}_2\text{O}$ and 1 M $\text{FeCl}_3 \cdot 6\text{H}_2\text{O}$ was added to 0.7 M ammonia solution with vigorous stirring at room temperature. The obtained MNPs were separated by magnet, and the supernatant was decanted. The collected MNPs were

washed several times with ethanol and then air-dried. In order to synthesize the silica coating of MNPs, the 100 mg of MNPs were dispersed in 100 mL of cyclohexane under sonication for 3 h in the presence of 3.3 mL of oleic acid. The 44 g of Igepal CO-520 (Sigma-Aldrich chemical) dissolved solution in 900 mL of cyclohexane was added to MNP solution. After stirring for 15 min, 8 mL of aqueous ammonia solution was added dropwise. The mixed solution was further stirred for 20 h at room temperature. Methanol was added to the solution to form dark precipitates, which were collected through magnetic separation after the removal of supernatants. The dark precipitate was washed repeatedly with ethanol and then vacuum dried.

The MNPs@SiO_2 was then modified with silane coupling agent to introduce chloride group. Briefly, 100 mg of MNPs@SiO_2 was dispersed in 9 mL of acetone containing 1 mL of CTMS, and the mixture was rotated at room temperature for 12 h in the dark. After silanization, the resultants were separation by magnetic attraction and washed repeatedly with acetone to remove unreacted silane coupling agent, and then dried at room temperature overnight in the dark.

Immobilization of histidine-tagged multimeric protein G

His-tagged recombinant dimer and trimer of protein G were overexpressed in *Escherichia coli* BL21 by the repeated linking of protein G monomers with flexible $(\text{GGGGS})_3((\text{glycine/glycine/serine})_3)$ [18]. The sizes for His-tagged monomer, dimer, and trimer protein G were 16, 32, and 46 kDa, respectively.




Figure 2 Typical TEM images and particle size distributions of the MNPs@SiO₂. (A) TEM image and the (B) particles size histogram of MNPs@SiO₂.

The immobilization of His-tagged multimeric protein G experiments were carried out in 200 μ L of protein solution dissolved in 10 mM phosphate buffer (pH 7.2) and were added to disperse the chloride group functionalized MNPs@SiO₂ (5 mg). The initial concentration of protein G was 100 μ g/mL. The reaction mixtures were incubated within a rotator at room temperature for 1 h with continual agitation to the suspending particles. After removal of particles by magnetic separation, the

multimeric protein G concentrations in the supernatants were determined by fluorescence intensity using a microplate reader (Infinite M200, Tecan Ltd; Männedorf, Switzerland) at 595 nm. The fluorescence intensity of sample was measured five times with a 20- μ s integration time by using a microplate reader and BCA protein assay kit.

SDS-PAGE of the samples were performed using standard protocols for conformation of protein binding efficiency [19]. Samples were incubated at 100°C for 5 min in a sample buffer and then separated by SDS-PAGE (12% gels).




Figure 3 Wide angle XRD patterns and FT-IR spectroscopy. (A) XRD patterns of (a) MNPs and (b) MNPs@SiO₂ and (B) FT-IR spectra of MNPs@SiO₂ and CTMS-MNPs@SiO₂, respectively.

Instrumentation

The particle size and morphology of silica-coated magnetic nanoparticles were determined by transmission electronic microscopy (TEM) using a JEM-4010 (JEOL; Tokyo, Japan) at an accelerating voltage of 400 kV. The magnetic nanoparticles and silica-coated magnetic nanoparticles were characterized by powder X-ray diffraction (XRD), using a Rigaku D/MAX-2500 diffractometer (Rigaku; Tokyo Japan) using filtered Cu K α radiation, and the data were collected for 2 θ of 20.0° to 80.0°. The magnetization of silica-coated magnetic nanoparticles at room temperature up to 10 kOe was measured by vibrating sample magnetometer (VSM) using a VSM 4179 (Oxford Instruments; Oxfordshire, UK). Fourier transform infrared (FT-IR) spectroscopy was used to identify the functionalized MNPs@SiO₂. The FT-IR spectra were recorded on a V-460 (JASCO; Easton, MD, USA) FT-IR spectrometer using KBr pellets. Spectra were obtained at a resolution of 4 cm⁻¹, and the wavenumber range from 4,000 to 650 cm⁻¹. The fluorescence intensity and absorbance of the samples were measured using microplate reader Infinite M200 (Tecan Ltd). The fluorescence was measured five times for each sample with a 20- μ s integration time.

Results and discussion

Figure 1 shows the synthetic procedures of conventional preparation with (a) a sulfo-SMCC cross-linker from




Figure 4 Immobilization efficiency of His-tagged multimeric protein G on the NH₂-MNPs@SiO₂ and CTMS-MNPs@SiO₂.

amino-silaneMNPs@SiO₂ and (b) a one-step preparation with a chloro-silane functional group on MNPs@SiO₂. This CTMS strongly anchors the MNPs@SiO₂ surface, while the chloro functions on the outer surface induce coupling between the MNPs@SiO₂ and His-tagged bio-molecules. This method was simple and low cost compared to the Sulfo-SMCC-MNPs@SiO₂.
The typical TEM images and particle size distributions of the MNPs@SiO₂ are shown in Figure 2, in which the core/shell structures have a narrow size distribution of

33 to 44 nm. In addition, the mean diameter of the silica-coated MNPs measured from TEM was about 38.9 nm with a narrow size distribution (Figure 2B). The MNPs@SiO₂ were dispersed in water by ultrasonication, and then easily separated with a magnet within 1 min (inset of Figure 2A).
Figure 3A shows the wide angle XRD patterns of MNPs and MNPs@SiO₂, in which the characteristic peaks of Fe₃O₄ nanoparticles are seen at 30.13°, 35.57°, 43.21°, 53.68°, 57.27°, 62.83°, and 74.29° of 2θ corresponding to




Figure 5 Photo of concentrations and SDS-PAGE analysis of multimeric proteins. The photo of (A) the BSA standards at the following concentrations (μg/mL) for 1–7, respectively, 200, 100, 50, 25, 12.5, 6.25, and 0; (B) the multimeric protein G (100 μg/mL); (C) supernatants after binding reaction for the CTMS-MNPs@SiO₂ with His-tagged monomer, dimer, and trimer protein G, respectively, 1A, 1B, and 1C, and the function washed off from the His-tagged multimeric protein G on the CTMS-MNPs@SiO₂, respectively, 2A-4A, 2B-4B, and 2C-4C; and (D) SDS-PAGE analysis of multimeric protein: lanes M marker; lanes 1A, 1B, and 1C: His-tagged monomer, dimer, and trimer protein G, respectively; lanes 2A, 2B, and 2C: supernatants after binding reaction for the CTMS-MNPs@SiO₂ with His-tagged monomer, dimer, and trimer protein G, respectively; lanes 3A-5A, 3B-5B, and 3C-5C: the function washed off from the His-tagged multimeric protein G on the CTMS-MNPs@SiO₂.

(220), (311), (400), (422), (511), (440), and (533), respectively. All the diffraction peaks could be indexed to well-crystallized Fe_3O_4 (JCPDS no. 19-629) [20,21]. The MNPs were mainly composed of an inverse cubic spinel structure of magnetite. Figure 3(B) shows the broad peak at a low diffraction angle of 20° to 30° , which corresponds to the amorphous state SiO_2 shells surrounding the MNPs. We were able to find that powder XRD patterns show a very low intensity for the peaks attributed to MNP cores. This was due to the coating of the amorphous silica shell.

In order to confirm the modification of the MNPs' surface, the FT-IR spectroscopy of the prepared MNPs@SiO_2 and CTMS-MNPs@SiO_2 materials was obtained (Figure 3B). The bands at $3,400$ to $3,500\text{ cm}^{-1}$ were due to $-\text{OH}$ stretching on silanol. The peaks at $2,930\text{ cm}^{-1}$ were attributed to the stretching vibration of C-H in aromatic and C-H in alkyl [22]. The peaks at $1,400$ to $1,550\text{ cm}^{-1}$ were assigned to the stretching vibration of C-C in an aromatic ring. The presence of additional absorption bands at 800 , 950 , and $1,110\text{ cm}^{-1}$ were most likely due to the symmetric and asymmetric stretching vibration of framework and terminal Si-O groups. These all confirm that CTMS has been successfully conjugated on the surface of the MNPs@SiO_2 .

Smith et al. developed a bicinchoninic acid assay that was part of colorimetric protein assay techniques [23,24]. The BCA protein assay was used to determine protein concentrations. This assay was based on a Biuret reaction where the presence of protein in an alkaline medium reduces Cu^{2+} to Cu^{1+} . The reaction product was formed by the $(\text{BCA})_2$ and Cu^{1+} and exhibited a strong absorbance at 562 nm . The protein concentration was reflected by the products changing color from green to purple, which depended on the given protein concentration. To investigate the His-tagged multimeric protein G immobilization efficiency of chloro-silane and amino-silane-functionalized MNPs@SiO_2 , we used the monomer, dimer, and trimer of protein G as a model protein. Figure 4 shows the His-tagged multimeric protein G immobilized quantities on $\text{NH}_2\text{-MNPs@SiO}_2$ and CTMS-MNPs@SiO_2 , which were determined by a BCA protein assay kit and microplate reader (Figure 5A,B,C). The immobilization efficiency of the His-tagged monomer, dimer, and trimer protein G were observed to be $77.2 \pm 1.24\%$, $67 \pm 1.37\%$, and $55 \pm 1.13\%$ for $\text{NH}_2\text{-MNPs@SiO}_2$, and $99 \pm 0.015\%$, $99 \pm 0.006\%$, and $98 \pm 0.005\%$ for CTMS-MNPs@SiO_2 , respectively. The immobilization efficiency of CTMS-MNPs@SiO_2 material was drastically enhanced rather than that of the $\text{NH}_2\text{-MNPs@SiO}_2$ because the chloro functions on the outer surface induced coupling between the MNPs@SiO_2 and His-tagged biomolecules. Furthermore, the specificity of CTMS-MNPs@SiO_2 nanoparticles binding with His-tagged multimeric protein G was analyzed by SDS-PAGE (Figure 5D). The amount of His-tagged multimeric

protein G released from CTMS-MNPs@SiO_2 nanoparticles was almost negligible (Figure 5D, lines 4A-6A, 4B-6B, and 4C-6C), indicating that the His-tagged multimeric protein G did not bond to the MNPs@SiO_2 nanoparticles by physical adsorption. It was further demonstrated that His-tagged multimeric protein G could be adsorbed on the surface of CTMS-MNPs@SiO_2 nanoparticles through an interaction between the His-tags and chloride groups, rather than the physical adsorption effects.

Conclusions

In summary, a facile and high-efficient one-step immobilization of His-tagged multimeric protein G on the magnetic nanoparticle surface was achieved with two kinds of APTMS and CTMS silanes. Based on the BCA test, the immobilization efficiencies of the His-tagged multimeric protein G with CTMS-MNPs@SiO_2 were higher than those of $\text{NH}_2\text{-MNPs@SiO}_2$. The immobilization efficiency with CTMS-MNPs@SiO_2 nanoparticles was $99.4 \pm 0.015\%$, $99.2 \pm 0.006\%$, and $98.1 \pm 0.005\%$ for the His-tagged monomer, dimer, and trimer of protein G, respectively.

Competing interests

The authors declare that they have no competing interests.

Authors' contributions

JL carried out the experiments and participated in the drafting of the manuscript. JHC conceived and designed the study. Both authors read and approved the final manuscript.

Acknowledgements

This work was supported by a grant from the Fundamental R&D program and funded by the Korea Institute of Ceramic Engineering and Technology (KICET) and Ministry of Trade, Industry and Energy (MOTIE), Republic of Korea.

Received: 17 November 2014 Accepted: 4 December 2014

Published: 10 December 2014

References

1. Chang JH, Lee J, Jeong Y, Lee JH, Kim IJ, Park SE: **Hydrophobic partitioning approach to efficient protein separation with magnetic nanoparticles.** *Anal Biochem* 2010, **405**:135-137.
2. Lee SY, Ahn CY, Lee J, Chang JH: **Amino acid side chain-like surface modification on magnetic nanoparticles for highly efficient separation of mixed proteins.** *Talanta* 2012, **93**:160-165.
3. Sun C, Lee JSH, Zhang M: **Magnetic nanoparticles in MR imaging and drug delivery.** *Adv Drug Deliv Rev* 2008, **60**:1252-1256.
4. Arruebo M, Fernández-Pacheco R, Ibarra MR, Santamaría J: **Magnetic nanoparticles for drug delivery.** *Nanotoday* 2007, **2**:22-32.
5. Perez JM, O'Loughlin T, Simeone FJ, Weissleder R, Josephson L: **DNA-based magnetic nanoparticle assembly acts as a magnetic relaxation nanoswitch allowing screening of DNA-cleaving agents.** *J Am Chem Soc* 2002, **124**:2856-2857.
6. Park ME, Chang JH: **High throughput human DNA purification with aminosilanes tailored silica-coated magnetic nanoparticles.** *Mater Sci Eng C* 2007, **27**:1232-1235.
7. Zhao X, Tapecc-Dytioco R, Wang K, Tan W: **Collection of trace amounts of DNA/mRNA molecules using genomagnetic nanocapturers.** *Anal Chem* 2003, **75**:3478-3483.
8. Lu CW, Hung Y, Hsiao JK, Yao M, Chung TH, Lin YS, Wu SH, Hsu SC, Liu HM, Mou CY, Yang CS, Huang DM, Chen YC: **Bifunctional magnetic silica nanoparticles for highly efficient human stem cell labeling.** *Nano Lett* 2007, **7**:149-154.

9. Li YC, Lin YS, Tsai PJ, Chen CT, Chen WY, Chen YC: **Nitrilotriacetic acid-coated magnetic nanoparticles as affinity probes for enrichment of histidine-tagged proteins and phosphorylated peptides.** *Anal Chem* 2007, **79**:7519–7525.
10. Cho EJ, Jung S, Lee K, Lee HJ, Nam KC, Bae HJ: **Fluorescent receptor-immobilized silica-coated magnetic nanoparticles as a general binding agent for histidine-tagged proteins.** *Chem Commun* 2010, **46**:6557–6559.
11. Fang W, Chen X, Zheng N: **Superparamagnetic core-shell polymer particles for efficient purification of His-tagged proteins.** *J Mater Chem* 2010, **20**:8624–8630.
12. Chien LJ, Lee CK: **Biosilicification of dual-fusion enzyme immobilized on magnetic nanoparticle.** *Biotechnol Bioeng* 2007, **100**:223–230.
13. Woo EJ, Ponvel KM, Ahn IS, Lee CH: **Synthesis of magnetic/silica nanoparticles with a core of magnetic clusters and their application for the immobilization of His-tagged enzymes.** *J Mater Chem* 2010, **20**:1511–1515.
14. Shukoori MI, Nataliob F, Tahira MN, Divekarb M, Metzc N, Theresea HA, Theatoc P, Ksenofontova V, Schröderb HC, Müllerb WEG, Tremel W: **Multifunctional polymer-derivatized γ -Fe₂O₃ nanocrystals as a methodology for the biomagnetic separation of recombinant His-tagged proteins.** *J Magn Magn Mater* 2008, **320**:2339–2344.
15. Xu C, Xu K, Gu H, Zheng R, Liu H, Zhang X, Guo Z, Xu B: **Dopamine as a robust anchor to immobilize functional molecules on the iron oxide shell of magnetic nanoparticles.** *J Am Chem Soc* 2004, **126**:9938–9939.
16. Shieh DB, Su CH, Chang FY, Wu YN, Su WC, RuHwu J, Chen JH, Yeh CS: **Aqueous nickel-nitrilotriacetate modified Fe₃O₄-NH₃⁺ nanoparticles for protein purification and cell targeting.** *Nanotechnology* 2006, **17**:4174–4182.
17. Wang W, Wang DIC, Li Z: **Facile fabrication of recyclable and active nanobiocatalyst: purification and immobilization of enzyme in one pot with Ni-NTA functionalized magnetic nanoparticle.** *Chem Commun* 2011, **47**:8115–8117.
18. Lee JH, Choi HK, Lee SY, Lim MW, Chang JH: **Enhancing immunoassay detection of antigens with multimeric protein Gs.** *Biosen Bioelectron* 2011, **28**:146–151.
19. Sambrook J, Fritsch EF, Maniatis T: *Molecular Cloning: a Laboratory Manual 3rd.* Cold Spring Harbor Laboratory Press: Cold Spring Harbor; 2001.
20. Ma D, Guan J, Normandin F, Dénommée S, Enright G, Veres T, Simard B: **Multifunctional nano-architecture for biomedical applications.** *Chem Mater* 2006, **18**:1920–1927.
21. Ren C, Li J, Chen X, Hu Z, Xue D: **Preparation and properties of a new multifunctional material composed of superparamagnetic core and rhodamine B doped silica shell.** *Nanotechnology* 2007, **18**:345604–345609.
22. Li C, Yang J, Wang P, Liu J, Yang Q: **An efficient solid acid catalyst: Poly-p-styrenesulfonic acid supported on SBA-15 via surface-initiated ATRP.** *Micro Meso Mater* 2009, **123**:228–233.
23. Smith PK, Krohn RI, Hermanson GT, Mallia AK, Gartner FH, Provenzano MD, Fujimoto EK, Goetze NM, Olson BJ, Klenk DC: **Measurement of protein using bicinchoninic acid.** *Anal Biochem* 1985, **150**:76–85.
24. Brenner AJ, Harris ED: **A quantitative test for copper using bicinchoninic acid.** *Anal Biochem* 1995, **226**:80–84.

doi:10.1186/1556-276X-9-664

Cite this article as: Lee and Chang: Facile and high-efficient immobilization of histidine-tagged multimeric protein G on magnetic nanoparticles. *Nanoscale Research Letters* 2014 **9**:664.

Submit your manuscript to a SpringerOpen[®] journal and benefit from:

- Convenient online submission
- Rigorous peer review
- Immediate publication on acceptance
- Open access: articles freely available online
- High visibility within the field
- Retaining the copyright to your article

Submit your next manuscript at ► springeropen.com